Contents:

Volume 131, Number 1, October 1995

Mini-review

1 **Fly division.**
K. G. Miller and D. P. Kiehart

Regular Articles

7 **A postprophase topoisomerase II–dependent chromatid core separation step in the formation of metaphase chromosomes.**
J. F. Giménez-Abián, D. J. Clarke, A. M. Mullinger, C. S. Downes, and R. T. Johnson

19 **Isolation and characterization of nuclear envelopes from the yeast *Saccharomyces*.**
C. Strambio-de-Castillia, G. Blobel, and M. P. Rout

33 **A chromatin binding site in the tail domain of nuclear lamins that interacts with core histones.**
H. Taniura, C. Glass, and L. Gerace

45 **Targeting of adenovirus E1A and E4-ORF3 proteins to nuclear matrix–associated PML bodies.**
T. Carvalho, J.-S. Seeler, K. Öhman, P. Jordan, U. Pettersson, G. Akusjärvi, M. Carmo-Fonseca, and A. Dejean

57 **Targeting of protein ERGIC-53 to the ER/ERGIC/*cis*-Golgi recycling pathway.**
C. Itin, R. Schindler, and H.-P. Hauri

69 **Clathrin-independent pinocytosis is induced in cells overexpressing a temperature-sensitive mutant of dynamin.**
H. Damke, T. Baba, A. M. van der Bliek, and S. L. Schmid

81 **Degradation of HMG-CoA reductase-induced membranes in the fission yeast, *Schizosaccharomyces pombe*.**
P. Y. Lum and R. Wright

95 **Mammalian alanine/glyoxylate aminotransferase 1 is imported into peroxisomes via the PTS1 translocation pathway. Increased degeneracy and context specificity of the mammalian PTS1 motif and implications for the peroxisome-to-mitochondrion mistargeting of AGT in primary hyperoxaluria type 1.**
A. Motley, M. J. Lumb, P. B. Oatey, P. R. Jennings, P. A. De Zoysa, R. J. A. Wanders, H. F. Tabak, and C. J. Danpure

111 **Virus-mediated release of endosomal content in vitro: Different behavior of adenovirus and rhinovirus serotype 2.**
E. Prchla, C. Plank, E. Wagner, D. Blaas, and R. Fuchs

125 **Isolation of phosphooligosaccharide/phosphoinositol glycan from caveolae and cytosol of insulin-stimulated cells.**
S. Parpal, J. Gustavsson, and P. Strålfors

137 **Expression of the *MRP* gene-encoded conjugate export pump in liver and its selective absence from the canalicular membrane in transport-deficient mutant hepatocytes.**
R. Mayer, J. Kartenbeck, M. Büchler, G. Jedlitschky, I. Leier, and D. Keppler

151 **CDC42 and Rac1 control different actin-dependent processes in the *Drosophila* wing disc epithelium.**
S. Eaton, P. Auvinen, L. Luo, Y. N. Jan, and K. Simons

165 **Anillin, a contractile ring protein that cycles from the nucleus to the cell cortex.**
C. M. Field and B. M. Alberts

179 **Myosin is involved in postmitotic cell spreading.**
L. P. Cramer and T. J. Mitchison

191 **Delay of HeLa cell cleavage into interphase using dihydrocytochalasin B: Retention of a postmitotic spindle and telophase disc correlates with synchronous cleavage recovery.**
S. N. Martineau, P. R. Andreassen, and R. L. Margolis

207 **γ-Tubulin is a minus end-specific microtubule binding protein.**
Q. Li and H. C. Joshi

215 **Sequential requirement of hepatocyte growth factor and neuregulin in the morphogenesis and differentiation of the mammary gland.**
Y. Yang, E. Spitzer, D. Meyer, M. Sachs, C. Niemann, G. Hartmann, K. M. Weidner, C. Birchmeier, and W. Birchmeier

227 **Inhibition of cyclin-dependent kinase activity triggers neuronal differentiation of mouse neuroblastoma cells.**
O. Kranenburg, V. Scharnhorst, A. J. Van der Eb, and A. Zantema

235 **Prolonged induction of $p21^{Cip1/WAF1}$/CDK2/PCNA complex by epidermal growth factor receptor activation mediates ligand-induced A431 cell growth inhibition.**
Z. Fan, Y. Lu, X. Wu, A. DeBlasio, A. Koff, and J. Mendelsohn

243 **E-cadherin is functionally involved in the maturation of the erythroid lineage.**
S. Armeanu, H.-J. Bühring, M. Reuss-Borst, C. A. Müller, and G. Klein

251 **Cell surface expression of receptor protein tyrosine phosphatase RPTPμ is regulated by cell–cell contact.**
M. F. B. G. Gebbink, G. C. M. Zondag, G. M. Koningstein, E. Feiken, R. W. Wubbolts, and W. H. Moolenaar

261 **Sialomucin CD34 is the major L-selectin ligand in human tonsil high endothelial venules.**
K. D. Puri, E. B. Finger, G. Gaudernack, and T. A. Springer

Volume 131, Number 2, October 1995

Mini-review

275 **Adam, a novel family of membrane proteins containing a disintegrin and metalloprotease domain: Multipotential functions in cell–cell and cell–matrix interactions.**
T. G. Wolfsberg, P. Primakoff, D. G. Myles, and J. M. White

Regular Articles

279 **A three-dimensional structural dissection of *Drosophila* polytene chromosomes.**
Y. Urata, S. J. Parmelee, D. A. Agard, and J. W. Sedat

297 **Parallel secretory pathways to the cell surface in yeast.**
E. Harsay and A. Bretscher

311 **Yeast *SEC16* gene encodes a multidomain vesicle coat protein that interacts with Sec23p.**
P. Espenshade, R. E. Gimeno, E. Holzmacher, P. Teung, and C. A. Kaiser

325 ***SED4* encodes a yeast endoplasmic reticulum protein that binds Sec16p and participates in vesicle formation.**
R. E. Gimeno, P. Espenshade, and C. A. Kaiser

339 **Envelope glycoprotein interactions in coronavirus assembly.**
D.-J. E. Opstelten, M. J. B. Raamsman, K. Wolfs, M. C. Horzinek, and P. J. M. Rottier

351 **A lysosomal targeting signal in the cytoplasmic tail of the β chain directs HLA-DM to MHC class II compartments.**
M. S. Marks, P. A. Roche, E. van Donselaar, L. Woodruff, P. J. Peters, and J. S. Bonifacino

371 **The essential *OST2* gene encodes the 16-kD subunit of the yeast oligosaccharyltransferase, a highly conserved protein expressed in diverse eukaryotic organisms.**
S. Silberstein, P. G. Collins, D. J. Kelleher, and R. Gilmore

385 **Sequences, structural models, and cellular localization of the actin-related proteins Arp2 and Arp3 from *Acanthamoeba.***
J. F. Kelleher, S. J. Atkinson, and T. D. Pollard

399 **The 78,000-M_r intermediate chain of *Chlamydomonas* outer arm dynein is a microtubule-binding protein.**
S. M. King, R. S. Patel-King, C. G. Wilkerson, and G. B. Witman

411 **Regulation of cytoplasmic dynein function in vivo by the *Drosophila* glued complex.**
M. McGrail, J. Gepner, A. Silvanovich, S. Ludmann, M. Serr, and T. S. Hays

427 **Mutational analysis of the phototransduction pathway of *Chlamydomonas reinhardtii.***
G. J. Pazour, O. A. Sineshchekov, and G. B. Witman

441 **Immobilization of nicotinic acetylcholine receptors in mouse C2 myotubes by agrin-induced protein tyrosine phosphorylation.**
T. Meier, G. M. Perez, and B. G. Wallace

453 **Rapid, widespread, and longlasting induction of nestin contributes to the generation of glial scar tissue after CNS injury.**
J. Frisén, C. B. Johansson, C. Török, M. Risling, and U. Lendahl

465 **Protein zero, a nervous system adhesion molecule, triggers epithelial reversion in host carcinoma cells.**
J. P. Doyle, J. G. Stempak, P. Cowin, D. R. Colman, and D. D'Urso

483 **Osteogenic differentiation of hypertrophic chondrocytes involves asymmetric cell divisions and apoptosis.**
H. I. Roach, J. Erenpreisa, and T. Aigner

495 **Chemokines regulate cellular polarization and adhesion receptor redistribution during lymphocyte interaction with endothelium and extracellular matrix. Involvement of cAMP signaling pathway.**
M. A. del Pozo, P. Sánchez-Mateos, M. Nieto, and F. Sánchez-Madrid

509 **Detachment of cultured cells from the substratum induced by the neutrophil-derived oxidant NH_2Cl: Synergistic role of phosphotyrosine and intracellular Ca^{2+} concentration.**

T. Y. Nakamura, I. Yamamoto, H. Nishitani, T. Matozaki, T. Suzuki, S. Wakabayashi, M. Shigekawa, and K. Goshima

525 **Tyrosine phosphorylation and cytoskeletal tension regulate the release of fibroblast adhesions.**

E. Crowley and A. F. Horwitz

539 **Dual role for the latent transforming growth factor-β binding protein in storage of latent TGF-β in the extracellular matrix and as a structural matrix protein.**

S. L. Dallas, K. Miyazono, T. M. Skerry, G. R. Mundy, and L. F. Bonewald

551 **Immunohistochemical and mutation analyses demonstrate that procollagen VII is processed to collagen VII through removal of the NC-2 domain.**

L. Bruckner-Tuderman, Ø. Nilssen, D. R. Zimmermann, M. T. Dours-Zimmermann, D. U. Kalinke, T. Gedde-Dahl, Jr., and J.-O. Winberg

561 **ADDITIONS AND CORRECTIONS**

Volume 131, Number 3, November 1995

563 **A zinc-binding domain is required for targeting the maternal nuclear protein PwA33 to lampbrush chromosome loops.**

M. Bellini, J.-C. Lacroix, and J. G. Gall

571 **GTP hydrolysis by Ran occurs at the nuclear pore complex in an early step of protein import.**

F. Melchior, T. Guan, N. Yokoyama, T. Nishimoto, and L. Gerace

583 **The Ypt1 GTPase is essential for the first two steps of the yeast secretory pathway.**

G. Jedd, C. Richardson, R. Litt, and N. Segev

591 **Isolation and characterization of yeast mutants in the cytoplasm to vacuole protein targeting pathway.**

T. M. Harding, K. A. Morano, S. V. Scott, and D. J. Klionsky

603 ***VPS27* controls vacuolar and endocytic traffic through a prevacuolar compartment in *Saccharomyces cerevisiae*.**

R. C. Piper, A. A. Cooper, H. Yang, and T. H. Stevens

619 **Targeting signals and subunit interactions in coated vesicle adaptor complexes.**

L. J. Page and M. S. Robinson

631 **COOH-terminal sequence motifs target the T cell protein tyrosine phosphatase to the ER and nucleus.**

J. A. Lorenzen, C. Y. Dadabay, and E. H. Fischer

645 **Differential targeting of glucosylceramide and galactosylceramide analogues after synthesis but not during transcytosis in Madin-Darby canine kidney cells.**

I. van Genderen and G. van Meer

655 **Characterization of T cell mutants with defects in capacitative calcium entry: Genetic evidence for the physiological roles of CRAC channels.**

C. M. Fanger, M. Hoth, G. R. Crabtree, and R. S. Lewis

669 **Exogenous glycosyl phosphatidylinositol–anchored CD59 associates with kinases in membrane clusters on U937 cells and becomes Ca^{2+}-signaling competent.**

C. W. van den Berg, T. Cinek, M. B. Hallett, V. Horejsi, and B. P. Morgan

679 **GPI-anchored influenza hemagglutinin induces hemifusion to both red blood cell and planar bilayer membranes.**

G. B. Melikyan, J. M. White, and F. S. Cohen

693 **NuMA is required for the organization of microtubules into aster-like mitotic arrays.**

T. Gaglio, A. Saredi, and D. A. Compton

709 **Mad1p, a phosphoprotein component of the spindle assembly checkpoint in budding yeast.**

K. G. Hardwick and A. W. Murray

721 **Kinetochore microtubule dynamics and the metaphase–anaphase transition.**

Y. Zhai, P. J. Kronebusch, and G. G. Borisy

735 **Calcineurin functions in Ca^{2+}-activated cell death in mammalian cells.**

F. Shibasaki and F. McKeon

745 **Continual assembly of half-desmosomal structures in the absence of cell contacts and their frustrated endocytosis: A coordinated Sisyphus cycle.**
M. P. Demlehner, S. Schäfer, C. Grund, and W. W. Franke

761 **pp60$^{c\text{-}src}$ is a positive regulator of growth factor-induced cell scattering in a rat bladder carcinoma cell line.**
J.-M. Rodier, A. M. Vallés, M. Denoyelle, J. P. Thiery, and B. Boyer

775 **Cell surface–bound elastase and cathepsin G on human neutrophils: A novel, non-oxidative mechanism by which neutrophils focus and preserve catalytic activity of serine proteinases.**
C. A. Owen, M. A. Campbell, P. L. Sannes, S. S. Boukedes, and E. J. Campbell

791 **Integrin function: Molecular hierarchies of cytoskeletal and signaling molecules.**
S. Miyamoto, H. Teramoto, O. A. Coso, J. Silvio Gutkind, P. D. Burbelo, S. K. Akiyama, and K. M. Yamada

807 **β_3-Endonexin, a novel polypeptide that interacts specifically with the cytoplasmic tail of the integrin β_3 subunit.**
S. J. Shattil, T. O'Toole, M. Eigenthaler, V. Thon, M. Williams, B. M. Babior, and M. H. Ginsberg

Volume 131, Number 4, November 1995

817 **Mutational analysis of p80 coilin indicates a functional interaction between coiled bodies and the nucleolus.**
K. Bohmann, J. A. Ferreira, and A. I. Lamond

833 **Identification of the chromosome localization domain of the *drosophila* nod kinesin-like protein.**
K. Afshar, J. Scholey, and R. S. Hawley

845 ***Saccharomyces cerevisiae* cells execute a default pathway to select a mate in the absence of pheromone gradients.**
R. Dorer, P. M. Pryciak, and L. H. Hartwell

863 ***FAR1* is required for oriented polarization of yeast cells in response to mating pheromones.**
N. Valtz, M. Peter, and I. Herskowitz

875 **Sequential coupling between CopII and CopI vesicle coats in endoplasmic reticulum to Golgi transport.**
M. Aridor, S. I. Bannykh, T. Rowe, and W. E. Balch

895 **The Golgi-localization of yeast Emp47p depends on its di-lysine motif but is not affected by the *ret1-1* mutation in α-COP.**
S. Schröder, F. Schimmöller, B. Singer-Krüger, and H. Riezman

913 **Localization and targeting of the *Saccharomyces cerevisiae* Kre2p/Mnt1p α1,2-mannosyltransferase to a *medial*-Golgi compartment.**
M. Lussier, A.-M. Sdicu, T. Ketela, and H. Bussey

929 **Hormonal regulation of caveolae internalization.**
E. J. Smart, Y. Ying, and R. G. W. Anderson

939 **A transferrin-like GPI-linked iron-binding protein in detergent-insoluble noncaveolar microdomains at the apical surface of fetal intestinal epithelial cells.**
E. M. Danielsen and B. van Deurs

951 **Targeting of cholera toxin and *Escherichia coli* heat labile toxin in polarized epithelia: Role of COOH-terminal KDEL.**
W. I. Lencer, C. Constable, S. Moe, M. G. Jobling, H. M. Webb, S. Ruston, J. L. Madara, T. R. Hirst, and R. K. Holmes

963 **Regulatory mechanisms of the acrosome reaction revealed by multiview microscopy of single starfish sperm.**
I. Sase, T. Okinaga, M. Hoshi, G. W. Feigenson, and K. Kinosita, Jr.

975 **Successful histocompatible myoblast transplantation in dystrophin-deficient mdx mouse despite the production of antibodies against dystrophin.**
J.-T. Vilquin, E. Wagner, I. Kinoshita, R. Roy, and J. P. Tremblay

989 **Myosin II filament assemblies in the active lamella of fibroblasts: Their morphogenesis and role in the formation of actin filament bundles.**
A. B. Verkhovsky, T. M. Svitkina, and G. G. Borisy

1003 **Yeast Num1p associates with the mother cell cortex during S/G2 phase and affects microtubular functions.**
M. Farkasovsky and H. Küntzel

1015 **Binding of E-MAP-115 to microtubules is regulated by cell cycle–dependent phosphorylation.**
D. Masson and T. E. Kreis

1025 **Manganese effectively supports yeast cell-cycle progression in place of calcium.**
S. Loukin and C. Kung

1039 **Point mutation of adenosine triphosphate–binding motif generated rigor kinesin that selectively blocks anterograde lysosome membrane transport.**
T. Nakata and N. Hirokawa

1055 **Differential targeting of protein kinase C and CaM kinase II signalings to vimentin.**
M. Ogawara, N. Inagaki, K. Tsujimura, Y. Takai, M. Sekimata, M. H. Ha, S. Imajoh-Ohmi, S. Hirai, S. Ohno, H. Sugiura, T. Yamauchi, and M. Inagaki

1067 **Binding between the neural cell adhesion molecules axonin-1 and Nr-CAM/Bravo is involved in neuron–glia interaction.**
D. M. Suter, G. E. Pollerberg, A. Buchstaller, R. J. Giger, W. J. Dreyer, and P. Sonderegger

1083 **Thrombospondin-4, an extracellular matrix protein expressed in the developing and adult nervous system promotes neurite outgrowth.**
S. Arber and P. Caroni

1095 **Glucocorticoid and progesterone inhibit involution and programmed cell death in the mouse mammary gland.**
Z. Feng, A. Marti, B. Jehn, H. J. Altermatt, G. Chicaiza, and R. Jaggi

1105 **Testicular development involves the spatiotemporal control of PDGFs and PDGF receptors gene expression and action.**
L. Gnessi, A. Emidi, E. A. Jannini, E. Carosa, M. Maroder, M. Arizzi, S. Ulisse, and G. Spera

1123 ADDITIONS AND CORRECTIONS

Volume 131, Number 5, December 1995

1125 **Chromosomes initiate spindle assembly upon experimental dissolution of the nuclear envelope in grasshopper spermatocytes.**
D. Zhang and R. B. Nicklas

1133 **Two novel related yeast nucleoporins Nup170p and Nup157p: Complementation with the vertebrate homologue Nup155p and functional interactions with the yeast nuclear pore–membrane protein Pom152p.**
J. D. Aitchison, M. P. Rout, M. Marelli, G. Blobel, and R. W. Wozniak

1149 **Thiol agents and Bcl-2 identify an alphavirus-induced apoptotic pathway that requires activation of the transcription factor NF-kappa B.**
K.-I Lin, S.-H. Lee, R. Narayanan, J. M. Baraban, J. M. Hardwick, and R. R. Ratan

1163 **Interaction between BiP and Sec63p is required for the completion of protein translocation into the ER of *Saccharomyces cerevisiae.***
S. K. Lyman and R. Schekman

1173 **Transferrin-binding protein complex is the receptor for transferrin uptake in *Trypanosoma brucei.***
D. Steverding, Y.-D. Stierhof, H. Fuchs, R. Tauber, and P. Overath

1183 **Direct membrane retrieval into large vesicles after exocytosis in sea urchin eggs.**
T. Whalley, M. Terasaki, M.-S. Cho, and S. S. Vogel

1193 **Gap junction turnover, intracellular trafficking, and phosphorylation of connexin43 in brefeldin A-treated rat mammary tumor cells.**
D. W. Laird, M. Castillo, and L. Kasprzak

1205 ***Dictyostelium* myosin I double mutants exhibit conditional defects in pinocytosis.**
K. D. Novak, M. D. Peterson, M. C. Reedy, and M. A. Titus

1223 **Essential role of caldesmon in the actin filament reorganization induced by glucocorticoids.**
F. Castellino, S. Ono, F. Matsumura, and A. Luini

1231 **Ezrin oligomers are major cytoskeletal components of placental microvilli: A proposal for their involvement in cortical morphogenesis.**
M. Berryman, R. Gary, and A. Bretscher

1243 **Mutations in *twinstar*, a *Drosophila* gene encoding a cofilin/ADF homologue, result in defects in centrosome migration and cytokinesis.**
K. C. Gunsalus, S. Bonaccorsi, E. Williams, F. Verni, M. Gatti, and M. L. Goldberg

1261 **The cell cycle–dependent localization of the CP190 centrosomal protein is determined by the coordinate action of two separable domains.**
K. Oegema, W. G. F. Whitfield, and B. Alberts

1275 **Stable, detyrosinated microtubules function to localize vimentin intermediate filaments in fibroblasts.**
G. Gurland and G. G. Gundersen

1291 **Dynamics of human keratin 18 phosphorylation: Polarized distribution of phosphorylated keratins in simple epithelial tissues.**
J. Liao, L. A. Lowthert, N.-O. Ku, R. Fernandez, and M. B. Omary

1303 **Chronic hepatitis, hepatocyte fragility, and increased soluble phosphoglycokeratins in transgenic mice expressing a keratin 18 conserved arginine mutant.**
N.-O. Ku, S. Michie, R. G. Oshima, and M. B. Omary

1315 **Axonal transport of mitochondria along microtubules and F-actin in living vertebrate neurons.**
R. L. Morris and P. J. Hollenbeck

1327 **Interaction of tau with the neural plasma membrane mediated by tau's amino-terminal projection domain.**
R. Brandt, J. Léger, and G. Lee

1341 **Adaptation of nicotinic acetylcholine receptor, myogenin, and MRF4 gene expression to long-term muscle denervation.**
L. Adams, B. M. Carlson, L. Henderson, and D. Goldman

1351 **Constitutive expression of calreticulin in osteoblasts inhibits mineralization.**
R. St-Arnaud, J. Prud'homme, C. Leung-Hagesteijn, and S. Dedhar

---

Volume 131, Number 6, Part 1, December 1995

Commentary

1361 **A cell biological perspective on genome research.**
J. R. McIntosh and R. R. West

Regular Articles

1365 **Chromatin conformation and salt-induced compaction: Three-dimensional structural information from cryoelectron microscopy.**
J. Bednar, R. A. Horowitz, J. Dubochet, and C. L. Woodcock

1377 **Sac1p mediates the adenosine triphosphate transport into yeast endoplasmic reticulum that is required for protein translocation.**
P. Mayinger, V. A. Bankaitis, and D. I. Meyer

1387 **Anterograde and retrograde traffic between the rough endoplasmic reticulum and the Golgi complex.**
J. C. Stinchcombe, H. Nomoto, D. F. Cutler, and C. R. Hopkins

1403 **Misfolded major histocompatibility complex class I molecules accumulate in an expanded ER-Golgi intermediate compartment.**
G. Raposo, H. M. van Santen, R. Leijendekker, H. J. Geuze, and H. L. Ploegh

1421 **Caveolin cycles between plasma membrane caveolae and the Golgi complex by microtubule-dependent and microtubule-independent steps.**
P. A. Conrad, E. J. Smart, Y.-S. Ying, R. G. W. Anderson, and G. S. Bloom

1435 **Rab 7: An important regulator of late endocytic membrane traffic.**
Y. Feng, B. Press, and A. Wandinger-Ness

1453 **Pay32p of the yeast *Yarrowia lipolytica* is an intraperoxisomal component of the matrix protein translocation machinery.**
R. K. Szilard, V. I. Titorenko, M. Veenhuis, and R. A. Rachubinski

1471 **Studies of the interaction between titin and myosin.**
A. Houmeida, J. Holt, L. Tskhovrebova, and J. Trinick

1483 **Actin filaments in yeast are unstable in the absence of capping protein or fimbrin.**
T. S. Karpova, K. Tatchell, and J. A. Cooper

1495 **Ponticulin plays a role in the positional stabilization of pseudopods.**
D. C. Shutt, D. Wessels, K. Wagenknecht, A. Chandrasekhar, A. L. Hitt, E. J. Luna, and D. R. Soll

1507 **Cytoplasmic dynein binds dynactin through a direct interaction between the intermediate chains and p150^{Glued}.**
K. T. Vaughan and R. B. Vallee

1517 **The *Chlamydomonas* kinesin-like protein FLA10 is involved in motility associated with the flagellar membrane.**
K. G. Kozminski, P. L. Beech, and J. L. Rosenbaum

1529 **Fission yeast cell morphogenesis: Identification of new genes and analysis of their role during the cell cycle.**
F. Verde, J. Mata, and P. Nurse

1539 **A localized elevation of cytosolic free calcium is associated with cytokinesis in the zebrafish embryo.**
D. C. Chang and C. Meng

1547 **An amino-terminal extension is required for the secretion of chick agrin and its binding to extracellular matrix.**
A. J. Denzer, M. Gesemann, B. Schumacher, and M. A. Ruegg

1561 **Adequate connexin-mediated coupling is required for proper insulin production.**
C. Vozzi, S. Ullrich, A. Charollais, J. Philippe, L. Orci, and P. Meda

1573 **Hepatocyte growth factor/scatter factor induces a variety of tissue-specific morphogenic programs in epithelial cells.**
V. Brinkmann, H. Foroutan, M. Sachs, K. M. Weidner, and W. Birchmeier

1587 **Massive programmed cell death in intestinal epithelial cells induced by three-dimensional growth conditions: Suppression by mutant c-H-*ras* oncogene expression.**
J. Rak, Y. Mitsuhashi, V. Erdos, S.-n. Huang, J. Filmus, and R. S. Kerbel

1599 **Surface attachment of *Salmonella typhimurium* to intestinal epithelia imprints the subepithelial matrix with gradients chemotactic for neutrophils.**
B. A. McCormick, P. M. Hofman, J. Kim, D. K. Carnes, S. I. Miller, and J. L. Madara

1609 **α-$_2$ Macroglobulin receptor/Ldl receptor-related protein(Lrp)-dependent internalization of the urokinase receptor.**
M. Conese, A. Nykjær, C. M. Petersen, O. Cremona, R. Pardi, P. A. Andreasen, J. Gliemann, E. I. Christensen, and F. Blasi

1623 **Regulation of CD44 binding to hyaluronan by glycosylation of variably spliced exons.**
K. L. Bennett, B. Modrell, B. Greenfield, A. Bartolazzi, I. Stamenkovic, R. Peach, D. G. Jackson, F. Spring, and A. Aruffo

---

Volume 131, Number 6, Part 2, December 1995

1635 **Nonrandom gene organization: Structural arrangements of specific pre-mRNA transcription and splicing with SC-35 domains.**
Y. Xing, C. V. Johnson, P. T. Moen, Jr., J. A. McNeil, and J. Bentley Lawrence

1649 **Dynamic localization of RNase MRP RNA in the nucleolus observed by fluorescent RNA cytochemistry in living cells.**
M. R. Jacobson, L.-G. Cao, Y.-L. Wang, and T. Pederson

1659 **Nup120p: A yeast nucleoporin required for NPC distribution and mRNA transport.**
J. D. Aitchison, G. Blobel, and M. P. Rout

1677 **Nuclear pore complex clustering and nuclear accumulation of poly(A)$^+$ RNA associated with mutation of the *Saccharomyces cerevisiae RAT2/NUP120* gene.**
C. V. Heath, C. S. Copeland, D. C. Amberg, V. Del Priore, M. Snyder, and C. N. Cole

1699 **The GLFG repetitive region of the nucleoporin Nup116p interacts with Kap95p, an essential yeast nuclear import factor.**
M. K. Iovine, J. L. Watkins, and S. R. Wente

1715 **Characterization of a *cis*-Golgi matrix protein, GM130.**
N. Nakamura, C. Rabouille, R. Watson, T. Nilsson, N. Hui, P. Slusarewicz, T. E. Kreis, and G. Warren

1727 **In vitro reconstitution of cytoplasm to vacuole protein targeting in yeast.**
S. V. Scott and D. J. Klionsky

1737 **Vesicle accumulation and exocytosis at sites of plasma membrane disruption.**
K. Miyake and P. L. McNeil

1747 **Calcium-regulated exocytosis is required for cell membrane resealing.**
G.-Q. Bi, J. M. Alderton, and R. A. Steinhardt

1759 **Dominant negative effect of cytoplasmic actin isoproteins on cardiomyocyte cytoarchitecture and function.**
P. von Arx, S. Bantle, T. Soldati, and J.-C. Perriard

1775 **A highly divergent γ-tubulin gene is essential for cell growth and proper microtubule organization in *Saccharomyces cerevisiae*.**
S. G. Sobel and M. Snyder

1789 **Synapsin I deficiency results in the structural change in the presynaptic terminals in the murine nervous system.**
Y. Takei, A. Harada, S. Takeda, K. Kobayashi, S. Terada, T. Noda, T. Takahashi, and N. Hirokawa

1801 **Structure of synaptogyrin (p29) defines novel synaptic vesicle protein.**
K. Stenius, R. Janz, T. C. Südhof, and R. Jahn

1811 **Endocytic depletion of L-MAG from CNS myelin in quaking mice.**

L. Bö, R. H. Quarles, N. Fujita, Z. Bartoszewicz, S. Sato, and B. D. Trapp

1821 **A neuron-specific isoform of brain ankyrin, 440-kD ankyrin$_B$, is targeted to the axons of rat cerebellar neurons.**

M. Kunimoto

1831 **The tyrosine kinase substrate eps15 is constitutively associated with the plasma membrane adaptor AP-2.**

A. Benmerah, J. Gagnon, B. Bègue, B. Mégarbané, A. Dautry-Varsa, and N. Cerf-Bensussan

1839 **V-src kinase shifts the cadherin-based cell adhesion from the strong to the weak state and β catenin is not required for the shift.**

H. Takeda, A. Nagafuchi, S. Yonemura, S. Tsukita, J. Behrens, W. Birchmeier, and S. Tsukita

1849 **Targeted disruption of CD44 in MDAY-D2 lymphosarcoma cells has no effect on subcutaneous growth or metastatic capacity.**

M. H. E. Driessens, P. J. M. Stroeken, N. F. Rodriguez Erena, M. A. van der Valk, E. A. M. van Rijthoven, and E. Roos

1857 **The assembly of integrin adhesion complexes requires both extracellular matrix and intracellular rho/rac GTPases.**

N. A. Hotchin and A. Hall

1867 **A role for phosphatidylinositol 3-kinase in the regulation of β1 integrin activity by the CD2 antigen.**

Y. Shimizu, J. L. Mobley, L. D. Finkelstein, and A. S. H. Chan

1881 **The L1 adhesion molecule is a cellular ligand for VLA-5.**

M. Ruppert, S. Aigner, M. Hubbe, H. Yagita, and P. Altevogt

1893 **P-selectin must extend a sufficient length from the plasma membrane to mediate rolling of neutrophils.**

K. D. Patel, M. U. Nollert, and R. P. McEver

1903 **Collagen and collagenase gene expression in three-dimensional collagen lattices are differentially regulated by α1β1 and α2β1 integrins.**

O. Langholz, D. Röckel, C. Mauch, E. Kozlowska, I. Bank, T. Krieg, and B. Eckes

1917 AUTHOR INDEX FOR VOLUMES 128–131

1947 SUBJECT INDEX FOR VOLUMES 128–131

1979 ACKNOWLEDGMENT